Author Index

Abdel-wahab, Z.A., Gillanders, W.E., Darrow, T.L., and Seigler, H.F. Generation of human IgG, IgA, and IgM anti-melanoma monoclonal antibodies utilizing lymphocytes of an actively immunized melanoma patient, 32
Abercrombie, D.: See Knight, D.M., 129
Agha, R.: See Gupta, K.C., 25
Allen, L.: See Saleh, M.N., 19
Amin, A.R.: See Shin, S.-U., 65
Arevalo-Moore, M.: See Looney, J.E., 191
Aw, D.: See Shepherd, A.J., 168

Bieber, M.: See Glasky, M.S., 114
Boyd, J.E.: See Shepherd, A.J., 168
Brodeur, B.R.: See Gupta, K.C., 25
Brown, K.: See Horgan, C., 153
Burlingame, R.W. and Rubin, R.L. Anti-histone autoantibodies recognize centromeric heterochromatin in metaphase chromosomes and hidden eiptopes in interphase cells, 40
Buskila, D., Weigl, D., and Shoenfeld, Y. The detection of anti-Ro/SS-A and anti-La/SS-B activity of human serum monoclonal immunoglobulins (monoclonal gammopathies), 75

Chevaleyre, J.: See Jallu, V., 93
Coll, J.T.: See Lo, K.-M., 123
Crowe, J.S.: See Lewis, A.P., 146

Daddona, P.E.: See Looney, J.E., 191
Dalesandro, M.R.: See Looney, J.E., 191
Darrow, T.L.: See Abdel-wahab, Z.A., 32
Daugherty, B.L.: See Spatz, L.A., 107
de Groot, C.: See Kwekkeboom, J., 48
DeMartino, J.A.: See Spatz, L.A., 107
Döcke, W.: See Seifert, M., 86

Ehrlich, P.H., Moustafa, Z.A., Justice, J.C., Harfeldt, K.E., Kelley, R.L., and Östberg, L. Characterization of human monoclonal antibodies directed against hepatitis B surface antigen, 2
Epplen, C.: See Hampe, J., 186
Epplen, J.T.: See Hampe, J., 186

Foley, S.F.: See Lo, K.-M., 123

Gershwin, M.E.: See Naiki, M., 60
Gessner, P.: See Zimmermann, U., 14
Ghrayeb, J.: See Knight, D.M., 129; Looney, J.E., 191
Gillanders, W.E.: See Abdel-wahab, Z.A., 32
Gillies, S.D.: See Lo, K.-M., 123; Saleh, M.N., 19
Glasky, M.S., Yin, A., Smith, L.H., Bieber, M., and Teng, N.N.H. Adenocarcinoma-reactive human monoclonal antibody MS2B6 defines an antigen in simple glandular epithelium, 114
Grizzle, W.: See Saleh, M.N., 19
Grunow, R.: See Hampe, J., 186
Gupta, K.C., Agha, R., Santos, E., and Brodeur, B.R. Isolation of human monoclonal antibodies binding to B fragment of diphtheria toxin, 25

Hampe, J., Nürnberg, P., Epplen, C., Jahn, S., Grunow, R., and Epplen, J.T. Oligonucleotide fingerprinting as a means to identify and survey long-term cultured B cell hybridomas and T cell lines, 186
Harfeldt, K.E.: See Ehrlich, P.H., 2
Hay, B.N., Sorge, J.A., and Shopes, B. Bacteriophage cloning and *Escherichia coli* expression of a human IgG Fab, 81
Healey, M.C.: See Torres, A.R., 206
Henri, E.: See Jonak, Z.L., 177
Hogg, C.L.: See Shepherd, A.J., 168
Horgan, C., Brown, K., and Pincus, S.H. Variable region differences affect antibody binding to immobilized but not soluble antigen, 153

Jahn, S.: See Hampe, J., 186; Seifert, M., 86
Jallu, V., Pico, M., Chevaleyre, J., Vezon, G., Kunicki, T.J., and Nurden, A.T. Characterization of an antibody to the integrin β3 subunit (GP IIIa) from a patient with neonatal thrombocytopenia and an inherited deficiency of GP IIb-IIIa complexes in platelets (Glanzmann's thrombasthenia), 93
James, K.: See Shepherd, A.J., 168
Jensen, C.P.: See Jonak, Z.L., 177
Jochems, G.J., Klein, M.R., Zeijlemaker, W.P., and van Lier, R.A.W. Protein kinase C regulates secretion of lymphotoxin (LT/TNFβ) and TNFα by human EBV-transformed B cells, 162
Johnston, A.V.: See Torres, A.R., 206
Jonak, Z.L., Henri, E., Trulli, S., Jensen, C.P., and Muirhead, K.A. Manipulation of human B cells to confer immortality, 177
Justice, J.C.: See Ehrlich, P.H., 2

Kawahara, H., Shirahata, S., Tachibana, H., and Murakami, H. In vitro immunization of human lymphocytes with human lung cancer cell line A549, 8
Kelley, R.L.: See Ehrlich, P.H., 2
Kenny, T.: See Naiki, M., 60'
Khazaeli, M.B.: See Saleh, M.N., 19
Klein, M.R.: See Jochems, G.J., 162
Klöck, G.: See Zimmermann, U., 14
Knight, D.M.: See Looney, J.E., 191
Knight, D.M., McDonough, M., Moore, M.A., Abercrombie, D., Siegel, R., and Ghrayeb, J. Stable expression of cloned human antibody genes in murine myeloma cells, 129
Konishi, J.-E.: See Naiki, M., 60'
Kunicki, T.J.: See Jallu, V., 93
Kwekkeboom, J., de Groot, C., and Tager, J.M. Efficient electric field-induced generation of hybridomas from human B lymphocytes without prior activation in vitro, 48

Latov, N.: See Spatz, L.A., 107
Lewis, A.P., Parry, N., Peakman, T.C., and Crowe, J.S. Rescue and expression of human immunoglobulin genes to generate functional human monoclonal antibodies, 146

Lo, K.-M., Roy, A., Foley, S.F., Coll, J.T., and Gillies, S.D. Expression and secretion of an assembled tetrameric CH2-deleted antibody in *E. coli*, 123
LoBuglio, A.F.: See Saleh, M.N., 19
Looney, J.E., Knight, D.M., Arevalo-Moore, M., Trinh, H., Pak, K.-Y., Dalesandro, M.R., Rieber, E.P., Reithmuller, G., Daddona, P.E., and Ghrayeb, J. High-level expression and characterization of a mouse-human chimeric CD4 antibody with therapeutic potential, 191

McDonough, M.: See Knight, D.M., 129
McKnight, M.E.: See Torres, A.R., 206
Mark, G.E.: See Spatz, L.A., 107
Moore, M.A.: See Knight, D.M., 129
Morrison, S.L.: See Shin, S.-U., 65
Moustafa, Z.A.: See Ehrlich, P.H., 2
Muirhead, K.A.: See Jonak, Z.L., 177
Murakami, H.: See Kawahara, H., 8

Naiki, M., Robbins, D.L., Kenny, T., Yago, H., Suehiro, S., Gershwin, M.E., and Konishi, J.-E. Characterization of monoclonal IgG antibodies produced by hybridomas derived from rheumatoid synovial cells, 60
Neil, G.A.: See Zimmermann, U., 14
Neil, G.A. and Sammons, D.W. Immunization of SCID-Hu mice and generation of anti-hepatitis B surface antigen-specific hybridomas by electrofusion, 201
Nurden, A.T.: See Jallu, V., 93
Nurnberg, P.: See Hampe, J., 186

Östberg, L.: See Ehrlich, P.H., 2

Pak, K.-Y.: See Looney, J.E., 191
Parren, P.W.H.I. Preparation of genetically engineered monoclonal antibodies for human immunotherapy, 137
Parry, N.: See Lewis, A.P., 146
Peakman, T.C.: See Lewis, A.P., 146
Pico, M.: See Jallu, V., 93
Pincus, S.H.: See Horgan, C., 153

Reisfeld, R.A.: See Saleh, M.N., 19
Rieber, E.P.: See Looney, J.E., 191
Riethmuller, G.: See Looney, J.E., 191
Robbins, D.L.: See Naiki, M., 60
Roy, A.: See Lo, K.-M., 123
Rubin, R.L.: See Burlingame, R.W., 40

Saleh, M.N., Khazaeli, M.B., Wheeler, R.H., Allen, L., Tilden, A.B., Grizzle, W., Reisfeld, R.A., Yu, A.L., Gillies, S.D., and LoBuglio, A.F. Phase I trial of the chimeric anti-GD2 monoclonal antibody chl4.18 in patients with malignant melanoma, 19
Sammons, D.W.: See Zimmermann, U., 14
Sammons, W.: See Neil, G.A., 201
Santos, E.: See Gupta, K.C., 25
Schwab, J.: See Seifert, M., 86
Seifert, M., Jahn, S., Schwab, J., Döcke, W., Volk, H.-D., and von Baehr, R.

5. Barnes D. Serum-free animal cell culture. *BioTechniques* 1987;5(6):534.
6. Glassy MC, Tharakan JP, Chau PC. Serum-free media in hybridoma culture and monoclonal antibody production. *Biotech Bioeng* 1988;32:1015.
7. Glassy MC, Peters RA, Mikhalev A. Growth of human-human hybridomas in serum-free media enhances antibody secretion. *In Vitro* 1987;23:745.
8. Glassy MC, Handley HH, Cleveland PH, Royston I. An enzyme immunofiltration assay useful for detecting human monoclonal antibody. *J Immunol Methods* 1983;58:119.
9. Glassy MC, Surh CD. Immunodetection of cell bound antigens using both mouse and human monoclonal antibodies. *J Immunol Methods* 1985;81:115.
10. Glassy MC, Cleveland PH. Use of mouse and human monoclonal antibodies in enzyme immunofiltration. *Methods Enzymol* 1986;121:525.
11. Healey MC, Gharpure HM, Kleinschuster SJ, Hwang HH, Johnston AV. Use of monoclonal antibodies to identify outer membrane antigens of *Actinobacillus* species. *Am J Vet Res* 1986;47:1446.
12. Glassy MC. Generation of UC729-6 and SHFP-1 derived human hybridomas and their growth in serum-free media. *J Tissue Cult Methods* 1989;12:85.
13. Glassy MC. Immortalization of human lymphocytes from a tumor-involved lymph node. *Cancer Res* 1987;47:5181.
14. Koda K, Glassy MC, Chang HR. Generation of human monoclonal antibodies against colon cancer. *Arch Surg* 1990;125:1591.
15. McKnight ME, Koda K, DeBoer K, Glassy MC. Human monoclonal antibodies to nuclear antigens. *Hum Antibod Hybridomas* 1990;1:77.
16. Nau DR. Chromatographic method for antibody purification and analysis. *Biochromatography* 1989;4:4–10.
17. Malm B. A method suitable for the isolation of monoclonal antibodies from large volumes of serum-containing hybridoma cell culture supernatants. *J Immunol Methods* 1987;104:103.
18. Stiles CD. The molecular biology of platelet-derived growth factor. *Cell* 1983;33:653.
19. Assoian RK, Myers CA, Miller DM, Sporn MB. Transforming growth factor-beta in human platelets. *J Biol Chem* 1983;258(11):7155.
20. Sporn MB, Roberts AB, Wakefield LM, de Crombrugghe B. Some recent advances in the chemistry and biology of transforming growth factor-beta. *J Cell Biol* 1987;105:1039.
21. Kidwell WR. Filtering our inhibition. *BioTechnology* 1989;7:462.
22. Kim P-H, Kagnoff MF. Transforming growth factor-beta 1 is a costimulator for IgA production. *J Immunol* 1990;144:3411–3416.
23. Kehrl JH, Roberts AB, Wakefield LM, Jakowlew S, Sporn MB. Transforming growth factor-beta is an important immunomodulatory protein for human B lymphocytes. *J Immunol* 1986;137(12):3855.
24. Taggert RT, Samloff IM. Stable antibody-producing murine hybridomas. *Science* 1983;219:1228.
25. Glassy MC, Handley HH, Surh CD, Royston I. Genetically stable human hybridomas secreting tumor reactive human monoclonal IgM. *Cancer Invest* 1987;5:449.

Lymphocyte surface marker expression on hybridomas secreting human monoclonal antibodies, 86
Seigler, H.F.: See Abdel-wahab, Z.A., 32
Shepherd, A.J., Boyd, J.E., Hogg, C.L., Aw, D., and James, K. Susceptibility of human monoclonal antibody-producing B cell lines to infection by human immunodeficiency virus, 168
Shin, S.-U., Wei, C.-F., Amin, A.R., Thorbecke, G.J., and Morrison, S.L. Structural and functional properties of mouse-human chimeric IgD, 65
Shirahata, S.: See Kawahara, H., 8
Shoenfeld, Y.: See Buskila, D., 75
Shopes, B.: See Hay, B.N., 81
Siegel, R.: See Knight, D.M., 129
Smith, L.H.: See Glasky, M.S., 114
Sorge, J.A.: See Hay, B.N., 81
Spatz, L.A., Daugherty, B.L., DeMartino, J.A., Mark, G.E., and Latov, N. Expression of recombinant human anti-MAG antibodies in nonlymphoid mammalian cells, 107
Suehiro, S.: See Naiki, M., 60'

Tachibana, H.: See Kawahara, H., 8
Tager, J.M.: See Kwekkeboom, J., 48
Teng, N.N.H.: See Glasky, M.S., 114
Thorbecke, G.J.: See Shin, S.-U., 65
Tilden, A.B.: See Saleh, M.N., 19
Torres, A.R., Healey, M.C., Johnston, A.V., and McKnight, M.E. Growth of hybridoma cells and antibody production in agamma calf serum, 206
Trinh, H.: See Looney, J.E., 191
Trulli, S.: See Jonak, Z.L., 177
van Lier, R.A.W.: See Jochems, G.J., 162
Vezon, G.: See Jallu, V., 93
Volk, H.-D.: See Seifert, M., 86
von Baehr, R.: See Seifert, M., 86

Wei, C.-F.: See Shin, S.-U., 65
Weigl, D.: See Buskila, D., 75
Wheeler, R.H.: See Saleh, M.N., 19

Yago, H.: See Naiki, M., 60'
Yin, A.: See Glasky, M.S., 114
Yu, A.L.: See Saleh, M.N., 19

Zeijlemaker, W.P.: See Jochems, G.J., 162
Zimmerman, U., Klöck, G., Gessner, P., Sammons, D.W., and Neil, G.A. Microscale production of hybridomas by hypo-osmolar electrofusion, 14

Subject Index

Affinity, 153
Antibody, 81, 206
Antibody gene expression, 129
Antibody secretion, 65
Anti-GD2 antibody, 19
Anti-La/SS-B antibodies, 75
Anti-myelin associated glycoprotein, 107
Anti-Ro/SS-A antibodies, 75
Autoimmune diseases, 75

Bacterial expression, 123
B-cell, 162
B cell lines, 168
B fragment binding, 25

CD4, 191
cDNA cloning, 146
Cell culture, 186, 206
Cell surface marker expression, 86
CENP-A, 40
CH2-deleted antibody, 123
Chimeric 14.18, 19
Chimeric antibodies, 153
Chimeric antibody, 65
Chimeric monoclonal antibody, 191
Colon carcinoma, 114
Constitutive heterochromatin, 40

Diphtheria toxin, 25
DNA fingerprinting, 186

EBV, 162
EBV transformation, 186
Effector functions, 137
Electrofusion, 14, 48
Electroporation, 177
Expression, 146

Feeder cells, 186
Fusion frequency, 48

Gb-IIb-III complexes, 93
Gene expression, 81
Glanzmann's thrombasthenia, 93
Glycosylation, 65

HBsAg, 2
Hepatitis B, 2, 201
Histone H3, 40
HIV-1, 168
HIV-2, 168
Human antibodies, 129
Human autoantibody, 93
Human B lymphocytes, 48
Human-human hybridomas, 8
Human hybridomas, 60, 201
Humanization, 137
Human lymphocytes, 25
Human monoclonal antibodies, 8, 25, 177
Human monoclonal antibody, 2, 114, 146, 168
Human-mouse hybridomas, 48
Hybridoma, 186, 206
Hybridoma cell lines, 86
Hybridoma production, 14
Hypo-osmolar, 14

IgD, 65
Immobilized immune complexes, 153
Immortalization, 177
Immune-related thrombocytopenias, 93
Immunofluorescence, 40, 86
Immunoglobulin, 81
Immunoglobulin rescue, 146
Immunotherapy, 137
In vitro immunization, 8, 25, 177

LT, 162
Lung cancer, 8

Malignant melanoma, 32
Metastatic melanoma, 19
Microchamber, 14
Monoclonal antibodies, 32
Monoclonal gammopathies, 75
Monoclonals, 206
M-T412, 191

Novel cell lines, 177
Nuclear matrix-intermediate filament, 114

Oncogenic DNA, 177
Ovarian carcinoma, 114

pelB leader, 123
PK-C, 162
Plasma cell dyscrasias, 75
Platelets, 93
Polymerase chain reaction, 81, 107

Recombinant antibodies, 129, 137
Rheumatoid arthritis, 60
Rheumatoid factors, 60

SCID-Hu mice, 201
Secretion, 123
Serum, 206
Serum-free, 206
Signal transduction, 162
Soluble immune complexes, 153
Specific active immunotherapy, 32
Subnucleosome, 40

TNFα, 162
Toxin neutralization, 25
Tumor-associated antigen, 114

Variable genes, 107